


Space-based Remote Sensing Program Update




U.S./Mexico Red Tide Program Collaboration Workshop





Marco J. Giardino, Ph.D.
Chief, NASA Earth Science
Applications, Integration Division

June 10, 2003





The NASA Vision

To improve life here, To extend life to there, To find life beyond.

The NASA Mission

To understand and protect our home planet, To explore the universe and search for life, To inspire the next generation of explorers ... as only NASA can.



Computing & Modeling at ESE: From Observations to Predictions

- Challenge: Integrate massive amounts of data with computationally demanding scientific models and produce products for research and decision support
- Integrate satellite data with computational modeling capabilities:
 - **Model initialization** for weather and climate forecasts
 - **Model evaluation** for all classes of models
 - **Data assimilation** preparation of accurate, global, geophysically consistent data sets for research and applications uses

High-end computing and modeling are the key to transforming data into useful information for decision makers.



From Science to Decision Support

Applying NASA's system engineering approach and ESE results to support decision-making tools, predictions, and analysis for policy and management decisions.

Science Models & Data Assimilation

- Oceans Ice
- Land Coupled
- Atmosphere



Measurements & Monitoring

- Satellite
- Airborne
- Ground




High Performance
Computing,
Communication,
& Visualization



Decision Support Tools

Assessments

Decision Support Systems






Multiple Remote Sensing Approaches




Multispectral




Hyperspectral




RADAR / SAR




Thermal




Atmospheric LIDAR




Surface LIDAR



Passive Microwave




RADAR Altimetry




Limb Sounding



Microwave Ranging




Irradiance/Photometry



Scatterometry




Reconfigurable Communications Distributed Information-System-in-the-Sky





ESE Measurement Missions

Spaceborne Measurement Systems




Airborne & In Situ Measurement Systems





Transition from Research to Operations





Systematic Measurement Missions

Existing

Through 2010

- Terra, Aqua
- Landsat 7
- TOPEX, Jason
- •TRMM
- SeaWinds
- •TOMS, OMI
- ACRIMSat/SORCE













- NPOESS Preparatory Project (2005/06)
- LandSat Data Continuity Mission (2005/06)
- Ocean Topography Mission (2006)
- Global Precipitation Mission (2008)
- Ocean Surface Winds (2006)
- Total Column Ozone/Aerosols (2008)
- Solar Irradiance (2006)
 - Funded
 - Under study/ early formulation
 - Contained within NASA budget projections/undergoing preliminary study





National Applications: Approach

Applications Research

- Extend scientific findings to requirements of operational environments
- Identify designs for information and data products -- particularly to enable use by automated systems

Verification and Validation

- Evaluate and verify results of technology & operational technique
- Identify improvements for information products

Applications Benchmark & Deployment

Document prototypes, guidelines, and procedures for potential operational implementation

The desired outcome of applications projects is for the partner organization to use the resulting prototypes, processes, and documentation as benchmarks for operational use



National Applications



Carbon Management



Public Health



Energy Forecasting



Aviation Safety



Water Management



Homeland Security



Coastal Management



Disaster Preparedness



Agricultural Competitiveness



Invasive Species



Community Growth



Air Quality



ESE Applications Program

Environmental Indicators for Coastal Management



Coastal: HAB Forecasts

NOAA HAB Forecast System:

- Identify occurrence of HABs
- Track the transport
- Predict severity and landfall
- Forecast demise

Forecasts can support local managers:

- Close beaches
- Adjust harvest quotas
- Protect aquaculture
- Plan mitigation strategies

System depends on biological, chemical and physical processes underlying the blooms and oceanography.



Coastal: HAB Partners

Primary: NOAA

- National Ocean Service (NOS)
- NOS Coastal Services Center

NOAA operates the HAB Forecast System

Additional Partners:

- EPA & Gulf of Mexico Lab
- ONR
- HAB Community



Coastal Management Decision Support

MODELS

Ocean Circulation Wind Patterns/Circulation Chlorophyll a Others



MEASUREMENTS

Aqua
Terra
Jason-1
SeaWiFS
Topex/Poseidon
QuikSCAT
SeaWinds
TRMM
NPP
POES, GOES (NPOESS)

Information Products,
Predictions, and Data
from NASA ESE
Missions and Models:

- Speed and direction of ocean currents
- Nearshore upwelling
- Sea surface heights
- Sea surface temperature
- Surface winds
- Precipitation/Rain rates
- Salinity predictions
- Phytoplankton concentrations

DECISION SUPPORT

HAB/Hypoxia Forecasts

Analysis:

- Predict landfall
- Track transport, speed and direction
- Assess severity
- Predict initiation
- Forecast duration/demise

Management Decisions:

- HAB warnings
- Beach closures
- Shellfish quotas
- Finfish limits
- Aquaculture flushing and recirculating
- Mitigation response

Additional factors:

- Notices where blooms not expected to occur
- Minimize extent of false positives and false negatives

VALUE & BENEFITS

- · Improve public health
- Reduce hospital admissions from toxin exposure
- Reduce lost workdays and schooldays
- Improve siting and design of aqualculture facilities
- Efficient shellfish harvest quotas before HAB events
- Increase confidence in government
- Minimize impacts to recreational fishing and tourism
- Pro-active outreach to reduce impacts to regional economies










NOAA / NASA Agreement

Proposed Agreement between NASA Applications Program and NOAA Coastal Services Center

- Coastal Decision Support
 - Verify, validate, and benchmark remote sensing systems and information products for use in operational coastal systems
- Development of Coastal NSDI
 - Evaluate relevance of remote sensing systems & data of priority resource community
- Coastal Flooding Tools
- Next Generation Requirements
- Performance Measures



Applications Roadmap: Coastal Management Harmful Algal Blooms (HAB) & Hypoxia



- Y% landfall +/- X km

Improved capabilities to decision support systems to forecast

HAB initiation, transport, toxic severity, landfall and demise.

X% dissipation



Primary Partners:





- Day/night S.S.Temp
- 3-D coastal circulation models incorporating biological data



DRAFT

Outcomes: 3-4 day warning of landfall. Routine detection. False negatives less than X%.

Impacts: Raise quotas for shellfish harvesting prior to HAB onset.

Sea surface winds*

 HAB/phytoplankton speciation



Outcomes: Routine identification of particular **HAB** species. Improved estimates of toxin severity 2-3 day landfall warning.

Impacts: Improve design and location of aquaculture facilities.

- Bio-optical sensors
- Improved coastal circulation models



Outcomes: Predictions of HAB transport, direction, and demise along coasts. Improved estimates of landfall area

Impacts: Warnings to fisheries and aquaculture facilities. Reduce impacts to non-target areas.

 Improved 2-D ocean circulation models

- Rain rates & salinity
- Sea surface height



Outcomes: 1-2 day warning of general landfall. Improved estimates of HAB demise. Warnings to close beaches.

Impacts: Reduce public exposure to toxins. Reduce hospital admissions and lost work/school days.

Ocean color for chlorophyll a



Sea surface temperatures

HAB/Hypoxia **Forecasts** (c. 2002)



Outcomes: 0-1 day warning of landfall. Better understanding of HAB speciation. Improved estimates of initiation.

Impacts: Reduce economic impacts as possible. Build public confidence in forecasting systems.

Current trajectory: Steady improvement in circulation models, HAB transport, and warning times.

















* Pre-formulation









SeaWinds



2000 2002 2004 2006 2008 2010 2012



Louisiana project

Louisiana Coast 2050 project, Sen. Breaux's Bill

Partner: U.S. Army, Corps of Engineers, SAA signed June 2002, runs for 3 years.


Objective: How does NASA ESE digital data improve the cost and effectiveness of the Cultural Resources Management Assessment process.

- NASA will collect and validate data, including degrading high resolution spatial and spectral data to ESE asset attributes.
- NASA will develop V&V process for subsistence, occupation and subsidence models
- COE will task contractors to conduct V&V in Coast 2050 project areas.
- COE will quantitative baseline and benchmark for ESE data product implementation.



Louisiana project

GPS Survey Data for Pelican Mounds Overlain onto IKONOS Imagery



Photograph of Pelican Mounds Looking East





Conclusions

- NASA has a well-articulated, end-to-end strategy to answer Earth science questions of substantial societal importance
- Transition of research observations and models while assuring "climate quality" to operational entities is critical element of NASA's long-term strategy
- Our mutual challenge and opportunity is to transform remote sensing observations into earth science products that serve society's needs

